




## Fieldwork Posts

\*All graphics per section go be posted individually or can all go into one post

Instagram –

 <p><b>An Introduction to hepatitis B</b></p>  <p>HEPATITIS B FOUNDATION <a href="http://www.hepb.org">www.hepb.org</a></p>	<p>What is #HepatitisB? Hepatitis B is the most common serious liver infection in the world. It is caused by the hepatitis B virus that attacks and injures the liver. Importantly, #hepB can be treated, prevented, and managed.</p> <p>Learn more on our website: <a href="https://www.hepb.org/what-is-hepatitis-b/what-is-hepb/">https://www.hepb.org/what-is-hepatitis-b/what-is-hepb/</a></p> <p>Take a look at some more #hepB facts and figures here: <a href="https://www.hepb.org/what-is-hepatitis-b/what-is-hepb/facts-and-figures/">https://www.hepb.org/what-is-hepatitis-b/what-is-hepb/facts-and-figures/</a></p>
<p><b>Hepatitis B (HBV) is one of the most common infections in the world.</b></p> <p><b>300 million</b></p>  <p><b>people live with HBV</b></p>  <p>HEPATITIS B FOUNDATION <a href="http://www.hepb.org">www.hepb.org</a></p>	<p>#LiverCancer #LearntheLink #hepB #HBV</p>



# Hepatitis B can infect **anyone**



## **HBV Risk Factors**



Regions that have **limited access to HBV care** including **vaccines, testing and treatment** have **higher rates of HBV**


- People who are from **sub-Saharan Africa, Asia or the Pacific Islands** are at **higher risk** for HBV exposure
- More than **50% of people** living with chronic hepatitis B are of Asian, Pacific Islander, or sub-Saharan African descent





## Hepatitis B in the U.S.A.

Percent of **US residents** who were **born in another country** who have chronic hepatitis B



Percentage of U.S. residents with chronic hepatitis B who **emigrated from Asia**



**Hepatitis B affects your liver**






The liver is very important for health  
Everything you:

- ✓ Eat
- ✓ Drink
- ✓ Breathe
- ✓ Absorb through your skin



goes through your liver!



## Hepatitis

means inflammation of the liver

- Inflammation damages the liver
- When the liver is damaged, it does not work as well
- If left unmanaged, chronic HBV can lead to liver cancer





## HBV Testing

- Getting tested for hepatitis B can help you live longer and healthier!
- Testing for hepatitis B can lower the risk of liver cancer.

Hepatitis B and the resulting liver cancer are among the largest health inequalities for people from **sub-Saharan Africa, Asia and the Pacific Islands**

- People born in Africa, Asia and the Pacific Islands should be tested for hepatitis B
- People who have parents born in Africa, Asia and the Pacific Islands should be tested for hepatitis B



## Hepatitis B and liver cancer are not a punishment

- Hepatitis B can infect anyone - it is **not a punishment** for doing something bad
- Having **hepatitis B is not** a death sentence


There are **medications that manage the infection**









## Fieldwork Posts

Differences between hepatitis A, B and, C		
<p><b>hepatitis A</b></p> <ul style="list-style-type: none"> <li>• Vaccine-preventable</li> <li>• Acute (short-term)</li> <li>• Very contagious</li> <li>• Spreads through close personal contact or eating contaminated food or drink</li> <li>• Symptoms can last from 2-6 months and include:               <ul style="list-style-type: none"> <li>◦ Fatigue, nausea, stomach pain, and jaundice</li> </ul> </li> </ul>	<p><b>hepatitis B</b></p> <ul style="list-style-type: none"> <li>• Vaccine-preventable</li> <li>• Can be chronic (lifelong) or acute (short-term)</li> <li>• Spreads through contact with blood, semen, or body fluids from a person with the virus               <ul style="list-style-type: none"> <li>◦ Can spread by: sexual contact, sharing needles, syringes, or from mother to baby at birth</li> </ul> </li> <li>• People usually do not have symptoms but they can include:               <ul style="list-style-type: none"> <li>◦ Fatigue, poor appetite, stomach pain, nausea, and jaundice</li> </ul> </li> </ul>	<p><b>hepatitis C</b></p> <ul style="list-style-type: none"> <li>• Not vaccine-preventable</li> <li>• Can be chronic (lifelong) or acute (short-term)</li> <li>• Is curable with oral medication</li> <li>• Spreads through contact with blood from a person with the virus               <ul style="list-style-type: none"> <li>◦ By sharing needles, syringes or injection equipment</li> </ul> </li> <li>• People usually do not have symptoms               <ul style="list-style-type: none"> <li>◦ When they appear, it is a sign of advanced liver damage</li> </ul> </li> </ul>

 **HEPATITIS B**  
FOUNDATION  
[www.hepb.org](http://www.hepb.org)

## Twitter

<p><b>An Introduction to hepatitis B</b></p>  <p> <b>HEPATITIS B</b> FOUNDATION <a href="http://www.hepb.org">www.hepb.org</a></p>	<p>What is #hepatitisB? Hepatitis B is the most common serious liver infection in the world. It is caused by the hepatitis B virus that attacks and injures the liver. Importantly, hep B can be treated, prevented, and managed.</p> <p>Learn more on our website:</p>
<p><b>Hepatitis B (HBV) is one of the most common infections in the world.</b></p> <p><b>300 million</b> people live with HBV</p>  <p> <b>HEPATITIS B</b> FOUNDATION <a href="http://www.hepb.org">www.hepb.org</a></p>	<p><a href="https://www.hepb.org/what-is-hepatitis-b/what-is-hepb/">https://www.hepb.org/what-is-hepatitis-b/what-is-hepb/</a></p>



# Hepatitis B can infect anyone



## HBV Risk Factors

Regions that have **limited access to HBV care** including **vaccines, testing and treatment** have **higher rates of HBV**

- People who are from **sub-Saharan Africa, Asia or the Pacific Islands** are at **higher risk** for HBV exposure
- More than **50% of people** living with chronic hepatitis B are of **Asian, Pacific Islander, or African descent**



## Hepatitis B in the U.S.A.

Percent of **US residents** who were **born in another country** who have chronic hepatitis B


















Percentage of U.S. residents with chronic hepatitis B who **emigrated from Asia**



# Hepatitis B affects your liver





 <p><b>The liver is very important for health</b> Everything you:</p> <ul style="list-style-type: none"><li>✓ Eat</li><li>✓ Drink</li><li>✓ Breathe</li><li>✓ Absorb through your skin</li></ul> <p>goes through your liver!</p>    	
<h2>Hepatitis</h2> <p>means inflammation of the liver</p>  <ul style="list-style-type: none"><li>• Inflammation damages the liver</li><li>• When the liver is damaged, it does not work as well</li><li>• If left unmanaged, chronic HBV can lead to liver cancer</li></ul> 	
<h2>HBV Testing</h2>  <p> <b>Getting tested for hepatitis B can help you live longer and healthier!</b> Testing for hepatitis B can <b>lower the risk of liver cancer.</b></p> <p>Hepatitis B and the resulting liver cancer are among the largest health inequalities for people from <b>sub-Saharan Africa, Asia and the Pacific Islands</b></p> <p> People born in <b>Africa, Asia and the Pacific Islands</b> should be tested for hepatitis B</p> <p> People who have <b>parents born in Africa, Asia and the Pacific Islands</b> should be tested for hepatitis B</p>	
<h2>Hepatitis B and liver cancer are not a punishment</h2> <p> Hepatitis B can infect anyone - it is <b>not a punishment</b> for doing something bad</p> <p> Having <b>hepatitis B is not a death sentence</b></p> <p>There are <b>medications that manage the infection</b></p>  	





## Fieldwork Posts

<p><b>Differences between hepatitis A, B and, C</b></p> <table border="0"> <tr> <td> <p><b>hepatitis A</b></p> <ul style="list-style-type: none"> <li>• Vaccine-preventable</li> <li>• Acute (short-term)</li> <li>• Very contagious</li> <li>• Spreads through close personal contact or eating contaminated food or drink</li> <li>• Symptoms can last from 2-6 months and include:               <ul style="list-style-type: none"> <li>◦ Fatigue, nausea, stomach pain, and jaundice</li> </ul> </li> </ul> </td> <td> <p><b>hepatitis B</b></p> <ul style="list-style-type: none"> <li>• Vaccine-preventable</li> <li>• Can be chronic (lifelong) or acute (short-term)</li> <li>• Spreads through contact with blood, semen, or body fluids from a person with the virus               <ul style="list-style-type: none"> <li>◦ Can spread by: sexual contact, sharing needles, syringes, or from mother to baby at birth</li> </ul> </li> <li>• People usually do not have symptoms but they can include:               <ul style="list-style-type: none"> <li>◦ Fatigue, poor appetite, stomach pain, nausea, and jaundice</li> </ul> </li> </ul> </td> <td> <p><b>hepatitis C</b></p> <ul style="list-style-type: none"> <li>• Not vaccine-preventable</li> <li>• Can be chronic (lifelong) or acute (short-term)</li> <li>• Is curable with oral medication</li> <li>• Spreads through contact with blood from a person with the virus               <ul style="list-style-type: none"> <li>◦ By sharing needles, syringes or injection equipment</li> </ul> </li> <li>• People usually do not have symptoms               <ul style="list-style-type: none"> <li>◦ When they appear, it is a sign of advanced liver damage</li> </ul> </li> </ul> </td> </tr> </table>	<p><b>hepatitis A</b></p> <ul style="list-style-type: none"> <li>• Vaccine-preventable</li> <li>• Acute (short-term)</li> <li>• Very contagious</li> <li>• Spreads through close personal contact or eating contaminated food or drink</li> <li>• Symptoms can last from 2-6 months and include:               <ul style="list-style-type: none"> <li>◦ Fatigue, nausea, stomach pain, and jaundice</li> </ul> </li> </ul>	<p><b>hepatitis B</b></p> <ul style="list-style-type: none"> <li>• Vaccine-preventable</li> <li>• Can be chronic (lifelong) or acute (short-term)</li> <li>• Spreads through contact with blood, semen, or body fluids from a person with the virus               <ul style="list-style-type: none"> <li>◦ Can spread by: sexual contact, sharing needles, syringes, or from mother to baby at birth</li> </ul> </li> <li>• People usually do not have symptoms but they can include:               <ul style="list-style-type: none"> <li>◦ Fatigue, poor appetite, stomach pain, nausea, and jaundice</li> </ul> </li> </ul>	<p><b>hepatitis C</b></p> <ul style="list-style-type: none"> <li>• Not vaccine-preventable</li> <li>• Can be chronic (lifelong) or acute (short-term)</li> <li>• Is curable with oral medication</li> <li>• Spreads through contact with blood from a person with the virus               <ul style="list-style-type: none"> <li>◦ By sharing needles, syringes or injection equipment</li> </ul> </li> <li>• People usually do not have symptoms               <ul style="list-style-type: none"> <li>◦ When they appear, it is a sign of advanced liver damage</li> </ul> </li> </ul>	
<p><b>hepatitis A</b></p> <ul style="list-style-type: none"> <li>• Vaccine-preventable</li> <li>• Acute (short-term)</li> <li>• Very contagious</li> <li>• Spreads through close personal contact or eating contaminated food or drink</li> <li>• Symptoms can last from 2-6 months and include:               <ul style="list-style-type: none"> <li>◦ Fatigue, nausea, stomach pain, and jaundice</li> </ul> </li> </ul>	<p><b>hepatitis B</b></p> <ul style="list-style-type: none"> <li>• Vaccine-preventable</li> <li>• Can be chronic (lifelong) or acute (short-term)</li> <li>• Spreads through contact with blood, semen, or body fluids from a person with the virus               <ul style="list-style-type: none"> <li>◦ Can spread by: sexual contact, sharing needles, syringes, or from mother to baby at birth</li> </ul> </li> <li>• People usually do not have symptoms but they can include:               <ul style="list-style-type: none"> <li>◦ Fatigue, poor appetite, stomach pain, nausea, and jaundice</li> </ul> </li> </ul>	<p><b>hepatitis C</b></p> <ul style="list-style-type: none"> <li>• Not vaccine-preventable</li> <li>• Can be chronic (lifelong) or acute (short-term)</li> <li>• Is curable with oral medication</li> <li>• Spreads through contact with blood from a person with the virus               <ul style="list-style-type: none"> <li>◦ By sharing needles, syringes or injection equipment</li> </ul> </li> <li>• People usually do not have symptoms               <ul style="list-style-type: none"> <li>◦ When they appear, it is a sign of advanced liver damage</li> </ul> </li> </ul>		

### DID YOU KNOW? Instagram

<p><b>DID YOU KNOW?</b> <b>Anyone can get hepatitis B</b></p> <p><b>The hep B vaccine can protect you and your parents from this disease</b></p> <p>Learn more about the hep B vaccine at: <b>hepb.org</b></p> <p> HEPATITIS B FOUNDATION www.hepb.org</p>	<p>It takes only a few shots to protect yourself and your loved ones against #hepatitisB for a lifetime. The hepatitis B vaccine is a safe and effective vaccine that is recommended for all infants at birth, for children up to 18 years, for all adults, ages 19-59, and for adults age 60+ at high risk for hepatitis B.</p> <p>Learn more: <a href="https://www.hepb.org/prevention-and-diagnosis/vaccination/">https://www.hepb.org/prevention-and-diagnosis/vaccination/</a> #GetVaxed4HepB</p>
--	--

### DID YOU KNOW? Facebook



## Fieldwork Posts

<p><b>Were you or your parents born outside of the U.S.?</b></p> <p>Yes, I was born outside of the U.S. Yes, my dad came to America when he was 14 years old! Yes! My parents were born in Vietnam!</p> <p><b>If yes, ask your doctor about getting tested for hepatitis B</b></p> <p><b>Knowing your hep B status can lower your and your loved ones' risk of liver cancer.</b></p> <p><b>HEPATITIS B FOUNDATION</b> www.hepb.org</p>	<p>Testing for hepatitis B will not only benefit you but also your family and children you may have in the future. Hepatitis B is also the primary cause of liver cancer, which is the second-leading cause of cancer deaths in the world. Get tested for #hepatitisB today!</p> <p>Learn more: <a href="https://www.hepb.org/prevention-and-diagnosis/diagnosis/">https://www.hepb.org/prevention-and-diagnosis/diagnosis/</a></p> <p>#GetTested4HepB</p>
--	--

## DID YOU KNOW? Viber

<p><b>Hepatitis B can be dangerous</b></p> <p>Talk to your doctor about ways to protect yourself from hepatitis B</p> <p><b>Protect yourself from hep B by:</b></p> <p><b>Getting Tested</b></p> <p><b>Getting Vaccinated</b></p> <p><b>HEPATITIS B FOUNDATION</b> www.hepb.org</p>	<p>The best way to protect yourself and others from hepatitis B is to get tested and vaccinated. Hepatitis B is diagnosed with a simple blood test that can be done at your doctor's office or local health clinic.</p> <p>The U.S. Centers for Disease Control and Prevention offers a list of testing Centers: <a href="https://gettested.cdc.gov/">https://gettested.cdc.gov/</a></p> <p>Learn more #hepB prevention tips here: <a href="https://www.hepb.org/prevention-and-diagnosis/vaccination/">https://www.hepb.org/prevention-and-diagnosis/vaccination/</a></p> <p>#hepatitisB #GetTested4HepB</p>
---	---

## DID YOU KNOW? Twitter



## Fieldwork Posts

<p><b>Hepatitis B is the leading cause of liver cancer</b></p> <p>Anyone can get hep B</p> <p>Get tested to learn your hep B status - this can <b>save your life!</b></p> <p><a href="http://www.hepb.org">Learn more at hepb.org</a></p>  <p> HEPATITIS B FOUNDATION www.hepb.org</p>	<p>If left unmanaged, #hepatitisB can lead to serious liver disease &amp; #liver #cancer. Testing is the only way to know if you are living with #hepB. Hepatitis B is diagnosed with a simple blood test that can be done at your doctor's office or local health clinic.</p> <p>The U.S. Centers for Disease Control and Prevention offers a list of testing Centers: <a href="https://gettested.cdc.gov/">https://gettested.cdc.gov/</a></p> <p>#GetTested4HepB</p>
--	--